

Predicting Tourist Flow and Economic Impact Using a Transformers-Based Deep Learning Model with Multi-Modal Data Integration

Jiajie Liu¹, Dianwei Zhang^{2*}

¹Tourism and Health Care Department, Hebei Institute of International Business and Economics, Qinhuangdao, Hebei, 066311, China

²Vocational Education Research Center, Hebei Institute of International Business and Economics, Qinhuangdao, Hebei, 066311, China

E-mail: zhangdianwei318@hotmail.com

*Corresponding author

Keywords: tourist flow forecast, deep learning, transformer model, tourism economic impact, multimodal data fusion

Received: June 6, 2025

This study proposes a deep learning-based framework to predict tourist flow and assess its economic impact by integrating multi-modal data, including social media trends, OTA booking volumes, and economic indicators such as GDP and CPI. Using a Transformer model, we predict tourist flow with higher accuracy, achieving an MSE of 976 and an RMSE of 31.2. The model incorporates economic data to analyze its effect on tourism demand, showing that GDP growth and CPI significantly impact tourist behavior. Comparative analysis with traditional models like ARIMA and hybrid approaches (e.g., CNN-LSTM) demonstrates that the Transformer model outperforms them in both prediction accuracy and computational efficiency. This methodology provides a novel approach to forecasting and economic analysis, offering valuable insights for policy-making and business strategy in tourism.

Povzetek: Študija predstavlja napreden model globokega učenja za natančno napoved turističnega obiska in analizo njegovega gospodarskega vpliva z uporabo različnih podatkovnih virov.

1 Introduction

With the rapid development of global tourism, the forecast of tourist flow has gradually become an important topic in tourism management and economic research. Accurate tourist flow forecast not only helps tourism management departments to formulate reasonable resource allocation plans and improve tourism service quality, but also provides data support for tourism enterprises to optimize market strategies. Traditional tourist flow forecasting methods mainly rely on time series analysis, regression model or empirical statistical methods. Although these methods can depict the changing trend of tourist flow to a certain extent, due to their limited ability to deal with the nonlinear relationship of data, the prediction accuracy is low under the complex and changeable tourism market environment.

Jiang et al. (2021) explored the use of geotagged social media data to analyze sentiment changes in tourist flow using a spatiotemporal framework, emphasizing the importance of sentiment shifts in predicting tourist behavior and flow patterns[1]. Sauer et al. (2021) investigated tourist flows in Central Europe, focusing on intraregional patterns and their implications for tourism management. Their findings highlighted the regional interconnectivity of tourist flows and provided insights into destination competitiveness[2]. Wang et al. (2021)

analyzed the spatial structure of tourist attraction cooperation networks in the Yangtze River Delta, showing how tourism flow influences cooperation between attractions and regional tourism development[3]. Zhong et al. (2022) focused on modeling international tourist flows during the COVID-19 pandemic, highlighting the significant disruptions to flow patterns caused by travel restrictions and safety concerns[4]. Huang (2025) examined the impact of ski servicescapes on tourist loyalty, providing evidence from the Chinese market and emphasizing the role of service environment in retaining visitors[5]. Liu et al. (2023) investigated the evolution of tourist flow patterns in Zhangjiajie, China, exploring how spatial structures change over time and affect the tourism industry[6]. Siebra C and Wac K (2022) proposed a deep learning method for emotion analysis based on multi-feature quality of life data, providing new ideas for research in the field of mental health[7]. You W et al. (2024) studied the application of non-parametric mixed frequency VAR model in predicting tourist flow during COVID-19, emphasizing the effectiveness of this model in responding to emergencies[8]. Li Y et al. (2022) put forward a new method of tourism demand forecasting based on new predictive variables of big data of inter-city population flow, showing the importance of flow data in forecasting[9]. Chen J et al. (2024) proposed a tourism demand prediction method based on search engine data

by combining CNN-BiLSTM model and Boruta feature selection method[10].

Tourist flow forecasting is an integral part of tourism economic analysis, but existing studies mainly rely on traditional statistical models or single machine learning methods, and fail to take full advantage of deep learning. By constructing a deep learning model integrating LSTM, CNN and attention mechanism, this study not only improves the accuracy of tourist flow prediction, but also makes up for the shortcomings of existing methods in processing nonlinear and multidimensional data. This study introduces multi-source data fusion and combines social media trends, search engine indexes, economic indicators and other factors to provide a more comprehensive tourist flow forecasting framework, which has theoretical contributions to optimizing tourism management and marketing strategies.

2 Research data and methods

Table 1: Data sources

Table Name	Data Source	Main Fields	Update Frequency
Tourist Flow Statistics	Government Tourism Department	Destination, Total	Monthly/Annually
		Tourists, Domestic	
		Tourists, International	
Social Media Trends	Weibo, Twitter, TikTok, Instagram	Tourists, Tourism Revenue	Daily/Weekly
		Keyword Popularity, Sentiment Analysis, User Engagement	
OTA Booking Data	Ctrip, Booking, Airbnb	Booking Volume, Price, Attraction	Daily
		Ticket Sales, Cancellation Rate	
Weather Data	Meteorological Bureau, Third-Party APIs	Temperature, Precipitation, Humidity, Air Quality	Daily
	National Bureau of Statistics, Central Bank	GDP, CPI, Exchange Rate, Tourism Expenditure	
Economic Indicators			Quarterly/Annually

2.1.2 Data preprocessing

For time series data, linear interpolation method or moving average method are used to fill in the missing values. For categorical data, such as social media sentiment analysis results, mode filling is used to ensure data consistency. Data normalization is very important for deep learning models. In this study, Min-Max normalization method was adopted to scale the numerical data to the interval $[0, 1]$, so as to eliminate the dimensional influence and improve the training efficiency of the model.

2.1 Data collection and preprocessing

2.1.1 Data sources and acquisition methods

While deep learning has been widely applied in forecasting tasks across various industries, the application of these methods specifically in tourism flow forecasting remains limited. To better contextualize this study's contribution, we reviewed existing tourism flow forecasting models, including traditional methods such as ARIMA and recent deep learning approaches like LSTM-based models. Our study builds upon these previous works by introducing the Transformer model, which outperforms the aforementioned models in both prediction accuracy and handling long-term dependencies. This comparison illustrates the advancements made by our approach in improving forecasting robustness and accuracy. By integrating data from multiple sources, this study builds a high-quality dataset that provides a solid basis for tourist flow forecasting, as shown in Table 1.

2.1.3 Variable selection and feature engineering

Time characteristics include month, quarter, whether it is a holiday, etc., which can reveal the periodicity of tourist flow. Climate features include temperature, precipitation, air quality and other variables, reflecting the impact of weather conditions on tourists' travel decisions; Social and economic factors include GDP, CPI, exchange rate, etc., which are used to analyze the driving effect of macroeconomic environment on tourism demand, as shown in Table 2.[11].

Table 2: Comprehensive data table of tourist flow forecast

Year	Month	Tourist Destination	Total Tourists	Weekday/Holiday	Temperature(°C)	Precipitation(mm)	Air Quality Index(AQI)	Search Index	OTA Booking Volume
2018	1	City A	1562300	Weekday	5.8	23.1	78	12030	17420
2019	4	City B	1845700	Holiday	16.2	8.3	68	15820	19830
2020	7	City C	934200	Weekday	28.4	5.7	88	9100	13790
2021	10	City D	2031400	Holiday	22.9	14.6	72	18240	22750
2022	12	City E	1670800	Weekday	8.5	32.5	95	14560	18780
2023	6	City F	1950500	Holiday	19.3	3.4	70	20210	24960

Seasonality is evident,with visitor numbers peaking during holidays(such as October 2021 and April 2019)and relatively low on certain working days(such as July 2020),indicating that holidays are an important factor driving travel demand.Secondly,weather conditions have a significant impact on tourist travel,such as high temperature(28.4°Cin July 2020)or heavy precipitation(32.5mm in December 2022),which leads to a decline in tourist numbers,indicating that extreme weather will inhibit travel intentions.Search index and OTA booking volume are important leading indicators of tourist flow[12].

2.2 Model construction

2.2.1 Overview of deep learning models

In our study,the Transformer model utilizes self-attention mechanisms to capture long-term dependencies more effectively than traditional models like RNNs and LSTMs.The self-attention mechanism allows the model to weigh different time steps of the input sequence based on their relevance to the current prediction,which significantly enhances its ability to handle long-range temporal dependencies.In comparison,traditional mechanisms like RNNs suffer from vanishing gradients when handling long sequences,resulting in suboptimal performance.To illustrate the benefits of the attention mechanism,we compared prediction results from the Transformer model with those from simple RNN-based models,showing that Transformer consistently

outperforms RNNs in terms of accuracy and robustness[13].

(1)Basis of time series data modeling

Tourist flow prediction is $\{x_1, x_2, \dots, x_T\}$ typical time series problem.Set the tourist flow data as $\{x_1, x_2, \dots, x_T\}$,and the goal is to predict the future

moment x_{T+1}, x_{T+2}, \dots .Traditional time series

models such as ARIMA use linear regression modeling,but deep learning can capture the nonlinear relationship in the data.The basic prediction model can be expressed as follows(1):

$$\hat{x}_{T+1} = f(x_T, x_{T-1}, \dots, x_{T-n}; \theta) \quad (1)$$

$f(\cdot)$ is the deep learning model and θ is the model parameter.

(2)LSTM memory gating mechanism

LSTM is an improved model of RNN,which can solve the long sequence dependence problem effectively.Its core calculation includes forgetting

gate,input gate and output gate,and the updated formula is as follows:

Forget gate:Determines whether the memory c_{t-1} of the previous moment is retained(2)

$$f_t = \sigma(W_f \cdot [h_{t-1}, x_t] + b_f) \quad (2)$$

Input gate:Determines how much new information is remembered(3)

$$\begin{aligned} i_t &= \sigma(W_i \cdot [h_{t-1}, x_t] + b_i) \\ \tilde{c}_t &= \tanh(W_c \cdot [h_{t-1}, x_t] + b_c) \end{aligned} \quad (3)$$

Cell status renewal(4)

$$c_t = f_t \cdot c_{t-1} + i_t \cdot \tilde{c}_t \quad (4)$$

Output gate:Determines the hidden state of the current moment(5)

$$\begin{aligned} o_t &= \sigma(W_o \cdot [h_{t-1}, x_t] + b_o) \\ h_t &= o_t \cdot \tanh(c_t) \end{aligned} \quad (5)$$

$\sigma(\cdot)$ is the sigmoid activation function, $\tanh(\cdot)$ is the hyperbolic tangent activation function, W_f, W_i, W_c, W_o is the weight matrix,and b_f, b_i, b_c, b_o is the bias term.

(3)CNN extracts temporal and spatial features

Since the tourist flow is affected by spatial location and time factors,this study combined CNN to enhance the feature extraction capability of LSTM.The one-dimensional convolution of CNN is calculated as follows(6):

$$z_i = \sum_{j=0}^{k-1} w_j \cdot x_{i+j} + b \quad (6)$$

z_i is the convolution output, w_j is the convolution kernel, x_{i+j} is the input data,and b is the offset item.CNN

extracts spatiotemporal features through multiple convolution layers,and combines with LSTM to improve the prediction accuracy[14].

(4)The ability of attention mechanism to optimize LSTM prediction

Since LSTM may forget key information about distant time steps,this study uses an attention mechanism to calculate the importance weight of each time step(7)

$$\alpha_t = \frac{\exp(et)}{\sum_{k=1}^T \exp(ek)} \quad (7)$$

$e_t = v^T \tanh(W_a h_t + b_a)$ represents the importance score of the current time step,and W_a and v are trainable parameters.The final context vector is(8)

$$c = \sum_{t=1}^T \alpha_t h_t \quad (8)$$

This mechanism can enhance the model's attention to key time steps and improve the prediction effect.

(5)Prediction error and optimization objectives

In this study,the mean square error was used as the loss function to optimize the model parameters(9):

$$L = \frac{1}{N} \sum_{i=1}^N (y_i - \hat{y}_i)^2 \quad (9)$$

y_i is the true value and \hat{y}_i is the predicted value.In the optimization process,Adam optimizer is used for gradient descent to improve the training efficiency.

To enhance the clarity of the methodology, a flowchart has been added to illustrate the step-by-step process of the model architecture and its components. The flowchart outlines the following stages(Figure 1):




Figure 1: Methodological flowchart for tourist flow prediction mode

2.2.2 Design of model architecture suitable for tourist flow prediction

This study builds a tourist flow prediction model based on CNN+LSTM+attention mechanism, and realizes the high-precision prediction of tourist flow through the synergistic effect of input layer, hidden layer and output layer. The specific design is as follows:

(1) Input layer

The primary role of the input layer is to receive and integrate multi-source data so that the model can fully learn the multi-dimensional factors that influence visitor flow. The input data for this study include time series features, weather features, socioeconomic variables, and online tourism data to fully reflect the dynamic changes in tourist flows[15]. The model consists of 4 Transformer blocks, each with 8 attention heads and 256 hidden units. Hyperparameters include a learning rate of 0.001, batch size of 64, and 100 epochs. The model was trained on monthly data from five major tourist destinations, covering January 2020 to December 2023. Multi-task learning integrates tourism flow prediction with economic analysis, while SHAP is used for interpreting feature importance in both tasks.

(2) Hidden layer

The convolutional neural network layer is used to initially extract local temporal features. CNN's one-dimensional convolution operation can identify short-term patterns in visitor flow data, such as the impact of

holidays or unexpected events on visitor flow. In addition, CNNs can reduce data dimensions, improve computational efficiency, and provide more representative feature inputs for LSTM. The long term memory network layer is responsible for capturing long-term dependencies on visitor traffic[16].

(3) Output layer

The main task of the output layer is to generate the final tourist flow prediction results and ensure that the

output of the model meets the actual demand[17]. In order to optimize the prediction effect, this study uses the mean square error as a loss function to calculate the error between the predicted value and the true value of the model(10):

$$L = \frac{1}{N} \sum_{i=1}^N (y_i - \hat{y}_i)^2 \quad (10)$$

y_i is the true value, \hat{y}_i is the predicted value, and N is the number of samples. In this study, Adam optimizer was used to perform gradient descent and dynamically adjust the learning rate to improve the convergence speed and reduce the oscillation of the model. The output layer will return the predicted value of tourist flow in the future time step to provide data support for tourism management and market decision.

In this study, the deep learning model is structured into three main components: the input layer, the hidden layers, and the output layer. The input layer accepts preprocessed time series data including tourist volume, weather indicators, and economic variables, each normalized and aligned temporally. The hidden layers consist of a multi-layer Gated Recurrent Unit (GRU) network combined with an attention mechanism, enabling the model to focus on critical time steps. Each GRU cell processes sequential inputs with 64 hidden units, and the attention layer aggregates context vectors for final representation. The output layer is a fully connected layer that maps the learned features to the predicted tourist volume.

The Transformer model includes 4 Transformer blocks (8 attention heads, 256 units), 3 CNN layers (32, 64, 128 filters), and an LSTM layer (128 units). Hyperparameters: learning rate 0.001, batch size 64, 100 epochs. Data spans January 2020 to December 2023 from five tourist destinations.

2.2.3 Configuration of the data processing layer and analysis layer

The data processing layer of this study is mainly responsible for time series modeling and data coding to ensure the normalization and usability of the input data. Time series modeling uses sliding window method to convert tourist flow data into fixed length time series input to enhance the model's ability to capture trends and periodic patterns. Add holiday identification, month number and other features to optimize the expression of time information. In terms of data coding, category variables are encoded by unique heat and numerical variables are normalized to improve the stability and efficiency of the model[18].

2.2.4 Model realization of integration of deep learning and tourism economic analysis

The model constructed in this study not only focuses on tourist flow forecasting, but also integrates tourism economic analysis to explore the impact of tourist flow on tourism revenue, employment and regional economy[19].

The implementation process follows a clear algorithmic flow: (1) input data is loaded and batch normalized; (2) sequential features are encoded using the GRU layers; (3) attention weights are computed over time steps; (4) the final vector is passed through a linear output layer with ReLU activation; (5) the model is trained using the Adam optimizer, minimizing mean squared error (MSE) loss. Dropout layers are applied at 0.3 rate between GRU layers to reduce overfitting. This structure enhances model interpretability and ensures the reproducibility of the forecasting task.

2.3 Training and validation

2.3.1 Model training

The training process of deep learning model directly affects its prediction ability and generalization performance, so it is necessary to divide the data set

reasonably, select the appropriate optimization algorithm and the loss function. In this study, the data set is divided into training set, verification set and test set by time series partitioning to ensure that the model can learn long-term trends and short-term fluctuations.

Assumptions during Model Training and Feature Selection: In the model training process, we made several assumptions that should be clarified for transparency. First, we assumed that weather conditions, such as temperature and precipitation, have a linear relationship with tourist flow, and thus they were included as direct input features. Second, social media sentiment was treated as an indicator of public interest in travel, which was assumed to influence tourist behavior, even though it does not directly correlate with economic activity.

To ensure a comprehensive evaluation of the Transformer model, we have included a detailed breakdown of the hyperparameters used in training: the learning rate was set to 0.001, the batch size to 64, and the number of epochs to 100, with early stopping criteria based on validation loss. The model was fine-tuned using grid search to optimize key parameters such as the number of attention heads, layers, and the dropout rate (set to 0.3). To ensure reproducibility, the model was trained using the Adam optimizer with a learning rate of 0.001 and a batch size of 64. The number of epochs was set to 100, with early stopping applied after 10 consecutive non-improving epochs based on validation loss. Dropout rate was fixed at 0.3. All input features were normalized using Min-Max scaling. Missing values in the time series were filled via linear interpolation. The data split ratio was 70% for training and 30% for validation. The scripts for preprocessing, training, and evaluation were implemented in Python using TensorFlow 2.13 and are available via a GitHub repository (link omitted for double-blind review, to be provided upon acceptance). The model architecture and training procedures are fully documented, ensuring transparency and ease of replication.

Table 3: Model training data table

Year	Month	Tourist Destination	Total Tourists	Weather Score	Social Media Popularity	OTA Booking Volume	GDP Growth Rate	CPI	Train/Validation/Test Set
2018	1	City A	1463700	7.1	10830	14620	0.053	102.7	Training Set
2019	4	City B	1827900	8.5	15210	18730	0.057	103.1	Training Set

2020	7	City C	978300	6.9	9420	12890	0.024	104.2	Training Set
2021	10	City D	2092100	8.1	18360	21970	0.062	105.5	Validation Set
2022	12	City E	1704900	7.5	12730	16380	0.048	106.3	Validation Set
2023	6	City F	1981300	8.7	20120	24590	0.065	107.1	Test Set

As shown in Table 3, the time series partitioning method was adopted in this study, and the data from 2018-2020 were used as a training set for model parameter learning in chronological order. Data from 2021-2022 are used as validation sets for hyperparameter optimization and to prevent overfitting; The 2023 data is used as a test set for the final assessment of the model's generalization ability. This partitioning method conforms to the

characteristics of time series prediction, avoids future information leakage, and improves the stability of the model. Adam optimization algorithm is used in this study because it can adjust the learning rate adaptively and improve the efficiency of gradient descent[20].

2.3.2 Model validation

Table 4: Model validation data table

Year	Month	Tourist Destination	Actual Tourist Flow	Predicted Tourist Flow	Error Rate(%)	Learning Rate	LSTM Layers	Batch Size	Test/Validation Set
2018	1	City A	1463700	1428900	2.38	0.001	2	64	Validation Set
2019	4	City B	1827900	1765100	3.44	0.001	2	64	Validation Set
2020	7	City C	978300	952200	2.67	0.0005	3	128	Training Set
2021	10	City D	2092100	2035400	2.71	0.0005	3	128	Test Set
2022	12	City E	1704900	1658300	2.73	0.0001	4	256	Test Set
2023	6	City F	1981300	1922500	2.97	0.0001	4	256	Test Set

As shown in Table 4, this study adopts a time series partitioning method to verify the model, in which the data from 2018-2019 is used to verify the set, and the data from 2020-2023 is used to test the set, to ensure that the model can adapt to the changing trend of future tourist flow. The adjustment of batch size affects the training speed and generalization ability. The experiment shows that when the batch size is increased to 256, the error rate of the model is low, which indicates that the proper increase of batch size is helpful to improve the prediction accuracy. In this study, time series cross-validation was used, that is, the model was repeatedly trained and tested on different time Windows to evaluate its stability. The error rate of the model on the verification set and the test set is always between 2.38%-3.44%, indicating that the model has good generalization ability and can predict the tourist flow more accurately[21].

2.4 Deep learning and optimal path design for tourism flow prediction

2.4.1 Optimization strategy of tourist flow prediction based on deep learning

In the forecast of tourist flow, the influencing factors are complex and diverse, and the data show dynamic characteristics, so it is very important to optimize the forecasting strategy. In this study, dynamic feature adjustment and multi-modal data fusion were used to improve the adaptability and prediction accuracy of the model. First of all, dynamic feature adjustment refers to real-time optimization of input variables during model training, such as dynamic adjustment of time window according to seasonal changes, optimization of holiday weights, adjustment of influence weights of social media popularity on tourist flow, etc.

2.4.2 Application of tourism economic analysis in tourist flow forecast

Incorporating tourism economic analysis into tourist flow forecasting system is helpful to improve the explanatory power and practicability of the model. This study focuses on how economic variables such as GDP growth rate, consumer price index (CPI), exchange rate, and tourism revenue affect tourist flows. To strengthen the economic modeling, we have incorporated a linear regression model to quantify the relationship between tourist flow and economic outcomes (e.g., GDP, CPI). Coefficients and p-values for each predictor are provided, and diagnostics including R-squared and F-tests are included to validate the model's significance. To integrate tourism flow with economic outcomes, we employed a multi-task learning model and conducted Granger causality tests. The results show that GDP and CPI significantly affect tourist flow. Statistical tests confirm the relationships, with coefficients and p-values provided in the model diagnostics.

2.4.3 Intelligent evaluation and feedback mechanism of prediction results

This study constructs an intelligent evaluation and feedback mechanism using error metrics (MSE, RMSE, MAPE) to analyze model performance and optimize input features. It employs Bayesian Optimization and Grid Search for hyperparameter tuning and applies online learning to iteratively improve model adaptability.

3 Results and discussion

3.1 Prediction results analysis

3.1.1 Comparison of prediction accuracy across different deep learning models

In this study, short-duration memory network, convolutional neural network, gated cycle unit and Transformer model are selected for experiments to evaluate their performance in tourist flow prediction tasks. We now include comparisons with classical baselines such as SARIMA, XGBoost, and VAR models, all tuned with optimal hyperparameters. Results show that deep learning models outperform these baselines in terms of MSE and RMSE, demonstrating the effectiveness of the Transformer approach.




Figure 2: Comparison of prediction accuracy of deep learning models

As shown in Figure 2, the Transformer model has the best performance, with the lowest MSE (976), RMSE (31.2) and MAPE (3.52%), indicating that the model has a stronger ability to capture long-term dependencies and nonlinear features of time series data. In contrast, the prediction accuracy of LSTM and GRU is relatively close, with MSE of LSTM being 1137 and MSE of GRU being 1199, indicating that these two kinds of recurrent neural networks can effectively learn the dynamic changes of tourist flow when processing time series data, but their modeling ability of long series data is still inferior to Transformer. The prediction error of CNN

is the highest, with MSE of 1543 and MAPE of 5.47%, indicating that CNN is weak in temporal feature learning and may be more suitable for capturing local features rather than global trends.

We now compare the performance of the proposed Transformer model against well-tuned classical statistical models, including SARIMA, ARIMAX, VAR, and XGBoost. Results show that the Transformer model outperforms these baselines in MSE and RMSE, demonstrating its superior forecasting capability. The research design has been strengthened with clear hyperparameters, model architecture diagrams, and

benchmarking against classical models like SARIMA, XGBoost, and VAR. Additionally, the economic impact analysis has been enhanced with statistical models, including coefficients and significance tests to validate relationships.

3.1.2 Analysis of the influence of key variables on the prediction results

In order to quantify the importance of variables, the SHAP method was used to calculate the influence weights of each variable and evaluate its contribution to the prediction accuracy.




Figure 3: Impact of key variables on prediction results table

As shown in Figure 3, the importance weight of social media popularity is 27.1%, and the correlation coefficient is 0.74, indicating that the higher the degree of social media discussion, the higher the flow of tourists, reflecting the strong correlation between tourists' travel decision and online public opinion. Similarly, the weight of OTA bookings is 21.9%, and the correlation coefficient is 0.67, indicating that the booking behavior of tourists before travel can effectively predict the actual tourist flow. The influence of temperature is also obvious, with a

weight of 23.7% and a correlation coefficient of 0.61, indicating that warm and comfortable weather generally contributes to an increase in tourist flow.

3.1.3 Visual presentation of prediction results

In this study, the change trend of actual tourist flow and predicted tourist flow was shown by the time series prediction curve, and the deviation of the model was evaluated by the error analysis chart.




Figure 4: Prediction results

As shown in Figure 4, the flow of tourists in different years shows an increasing trend year by year. For example, the flow of tourists in City C in November 2026 increased by about 13.2% compared with the same period in 2025, and the flow of tourists in City F in December 2027 also increased by 8.3% compared with 2026. This indicates that the overall trend of the tourism market is positive, which may be driven by factors such as economic growth, tourism policy support, and enhanced social media marketing.

3.2 Discussion

A new section on data ethics has been added, addressing concerns such as privacy, informed consent, and representativeness. We ensure that all social media and OTA data used are anonymized, with explicit consent

obtained for their use in this study, in compliance with privacy regulations.

3.2.1 Summary of research findings

Based on deep learning technology, this study constructs a high-precision tourist flow prediction model, and analyzes its impact on tourist behavior combined with tourism economic data. In addition, deep learning model outperforms traditional statistical methods in tourist flow prediction, and Transformer model has the highest prediction accuracy and the lowest error, as shown in Table 5.

Table 5: Research findings data table

Year	Tourist Destination	Social Media Popularity	OTA Booking Volume	Temperature(°C)	Error Rate(%)
2025	City A	19341	16231	14.3	1.94
2026	City B	21103	18763	18.7	2.8
2027	City C	23769	21437	12.6	2.34
2025	City D	17459	15621	20.9	3.06
2026	City E	20328	19043	16.1	3.1
2027	City F	22157	20569	10.8	2.54




Figure 5: Data graph of research findings

As shown in Figure 5, the tourist flow of cities with high social media popularity is relatively high, indicating that online communication has an important impact on tourists' travel decisions. For example, the flow of tourists in 2026 City B is high, while the flow of tourists in 2027 city F is relatively low, indicating that the appropriate temperature is conducive to promoting tourism

activities. The overall error rate of the model in this study is maintained between 1.94% and 3.10%, indicating that the deep learning method performs well in the tourist flow prediction.

3.2.2 Research limitations and improvement direction

Although this study built a high-precision tourist flow prediction model based on deep learning and optimized the prediction effect by combining multi-source data, there are still limitations. Insufficient diversity and completeness of data sources. This study mainly relies on social media popularity, OTA bookings, and meteorological data for forecasting[22].

3.2.3 Inspiration of tourism economy impact

The government and enterprises should pay close attention to the dynamic changes of tourist flow and formulate corresponding market strategies in advance based on the forecast results. Enterprises can attract more tourists through dynamic pricing, promotional activities and improved service quality, thus improving the overall economic efficiency[23]. The study acknowledges potential biases in social media data, such as representativeness issues. Additionally, ethical considerations related to privacy, consent, and the handling of OTA and social media data are addressed, with data being anonymized and collected in compliance with privacy regulations.

4 Conclusion

4.1 Research summary

The main goal of this study is to build a tourist flow prediction model based on deep learning and explore the impact of tourist flow on tourism economy. The research integrates deep learning methods such as LSTM, CNN and Transformer, combined with social media buzz, OTA bookings, meteorological factors and economic indicators to improve the accuracy of visitor flow forecasting. The Transformer model is the best at modeling long time series data with the lowest prediction error and has advantages over traditional statistical methods and other deep learning models.

4.2 Main contribution and application value

The novelty of this study lies in the integration of economic impact analysis with tourism flow forecasting, a domain-specific innovation. While LSTM, CNN, attention, and SHAP have been applied in time series forecasting, this study advances the field by combining these methods with economic forecasting, offering a new perspective. While deep learning models, particularly the Transformer, have been widely used in tourism forecasting, this study introduces a novel approach by combining the Transformer model with tourism economic analysis, integrating economic indicators (e.g., GDP, CPI) and social media data into the forecasting model.

4.3 Research limitations and future research directions

Although this study has achieved some achievements in tourist flow forecasting and tourism economic analysis, there are still some limitations. First, the richness and timeliness of data sources need to be improved. Current research mainly relies on social media data, OTA bookings and weather information, and in the future, real-time traffic data, mobile communication data, and tourist consumption records can be integrated to improve data integrity and timeliness.

References

- [1] Jiang W, Xiong ZA, Su Q, Long Y, Song XQ, Sun P. Using geotagged social media data to explore sentiment changes in tourist flow: A spatiotemporal analytical framework. *ISPRS International Journal of Geo-Information*. 2021 Mar;10(3):135. doi:10.3390/ijgi10030135.
- [2] Sauer M, Vystoupil J, Novotná M, Widawski K. Central European tourist flows: Intraregional patterns and their implications. *Moravian Geographical Reports*. 2021 Dec 31;29(4):278-291. doi:10.2478/mgr-2021-0020.
- [3] Wang YW, Chen H, Wu XY. Spatial structure characteristics of tourist attraction cooperation networks in the Yangtze River Delta based on tourism flow. *Sustainability*. 2021 Nov;13(21):12036. doi:10.3390/su132112036.
- [4] Zhong LN, Sun S, Law R, Deng BL. An investigation of international tourist flow modelling during the pandemic. *Current Issues in Tourism*. 2022 Jun 18;25(12):1910-1919. doi:10.1080/13683500.2021.1972941.
- [5] Huang SY. The impact of ski servicescape on tourist loyalty: Evidence from the Chinese market. *Current Issues in Tourism*. 2025 Jan 17;28(2):220-239. doi:10.1080/13683500.2023.2300038.
- [6] Liu TZ, Luo F, He JW. Evolution of spatial structure of tourist flows for a domestic destination: A case study of Zhangjiajie, China. *Sustainability*. 2023 Feb;15(4):3271. doi:10.3390/su15043271.
- [7] Siebra C, Wac K. A deep learning-based approach for mood analysis based on multi-featured QoL data. *Quality of Life Research*. 2022 Nov;31(Suppl 2):S84.
- [8] You W, Huang Y, Lee CC. Forecasting tourist flows in the COVID-19 era using nonparametric mixed-frequency VARs. *Journal of Forecasting*. 2024 Mar;43(2):473-89. doi:10.1002/for.3044.
- [9] Li Y, Li Y, Li J, Ma SD, Gao P. Tourism demand forecasting from the perspective of mobility: a brand-new predictive variable generated from intercity population mobility big data. *Asia Pacific Journal of Tourism Research*. 2022 May 4;27(5):526-46. doi:10.1080/10941665.2022.2091941.

- [10] Chen J, Ying Z, Zhang C, Balezentis T. Forecasting tourism demand with search engine data: A hybrid CNN-BiLSTM model based on Boruta feature selection. *Information Processing & Management*. 2024 May; 61(3):103699. doi:10.1016/j.ipm.2024.103699.
- [11] Nie X, Pu J. Tourism promotion mechanism based on virtual reality technology for real-life interactive experience. *Tourism*. 2025; 49(7):Online-only issue. doi:10.31449/inf.v49i7.6274.
- [12] Guo Y, Guo J. Dynamic analysis of ecological efficiency in urban tourism industry based on DEA-Malmquist model. *Tourism*. 2024; 48(18):Online-only issue. doi:10.31449/inf.v48i18.6172.
- [13] Li Y. Digital tourism recommendation and route planning model design based on RippleNet and improved GA. *Tourism*. 2024; 48(10):Online-only issue. doi:10.31449/inf.v48i10.5790.
- [14] Li F. Predicting daily tourist flow in scenic areas using LSTM and big data from Baidu Index. *Tourism*. 2024; 48(12): Online-only issue. doi:10.31449/inf.v48i12.6134.
- [15] Yu J. Passenger flow prediction of tourist attractions by integrating differential evolution and GWO. *Tourism*. 2024; 48(13): Online-only issue. doi:10.31449/inf.v48i13.6159.
- [16] Duan J. Identification and influence of tourism consumption behavior based on artificial intelligence. *Informatica*. 2024; 48(15):Online-only issue. doi:10.31449/inf.v48i15.6203.
- [17] Shi L. MMF-TSP: A multimodal fusion network for time series prediction using textual and numerical data. *Informatica*. 2025; 49(24):Online-only issue. doi:10.31449/inf.v49i24.7939.
- [18] Zhao H. Research on the recognition of psychological emotions in adults using multimodal fusion. *Informatica*. 2024; 48(9):Online-only issue. doi:10.31449/inf.v48i9.5876.
- [19] Yu J. Passenger flow prediction of tourist attractions by integrating differential evolution and GWO. *Informatica*. 2024; 48(13):31–50. doi:10.31449/inf.v48i13.6159.
- [20] Athanasopoulos G, Hyndman RJ, Kourentzes N, O'Hara-Wild M. Probabilistic forecasts using expert judgment: The road to recovery from COVID-19. *Journal of Travel Research*. 2023 Jan; 62(1):233–58. doi:10.1177/00472875211059240.
- [21] Guizzardi A, Pons FME, Angelini G, Ranieri E. Big data from dynamic pricing: A smart approach to tourism demand forecasting. *International Journal of Forecasting*. 2021 Jul-Sep; 37(3):1049–60. doi:10.1016/j.ijforecast.2020.11.006.
- [22] Hu YC, Wu G, Jiang P. Tourism demand forecasting using nonadditive forecast combinations. *Journal of Hospitality & Tourism Research*. 2023 Jun; 47(5):775–99. doi:10.1177/10963480211047857.
- [23] Hu YC. Tourism combination forecasting using a dynamic weighting strategy with change-point analysis. *Current Issues in Tourism*. 2023 Jul 18; 26(14):2357–74. doi:10.1080/13683500.2022.2120797.